

# REMS Cut 110 Cu-INOX

Pipe cutting tool

Robust quality tool for right-angle cutting of welded pipe. Can be used anywhere, free-hand, on parallel vice or work bench.

Welded rain gutter pipes in copper, titanium zinc, stainless steel  $\varnothing$  60–110 mm

Welded drain pipes/downpipes in stainless steel  $\varnothing$  50–110 mm

## EMS Cut 110 Cu-INOX – easy cutting of rain gutter pipes.

Robust metal design for tough use.

Fast and easy to use, ergonomic clamping grip.

Spring loaded clamp inserts in plastic for concentric clamping of different pipe sizes. Easy to change without tools.

Steplessly adjustable clamping pressure accommodates pipe tolerances.

Cutting and chamfering tool in hard metal with optimum cutter geometry ensures precise cutting and chamfering. Long service life.

Holder for workbench for effortless operation.

Tool set P and clamp inserts for right-angle, plain cutting and chamfering (15°) of plastic pipe, as accessory, see page 85.



### Supply format

**REMS Cut 110 Cu-INOX Set.** Pipe cutter for welded rain gutter pipes in copper, titanium zinc, stainless steel,  $\varnothing$  60–110 mm, welded drain pipes/downpipes in stainless steel  $\varnothing$  50–110 mm. Quick action clamp  $\varnothing$  110 mm with clamp inserts. Tool set Cu-INOX with cutter wheel Cu-INOX 3–120, s 4. In sturdy case.

Description	Art.-No.
<b>Set 50-75-110</b>	290412
<b>Set 60-80-100-110</b>	290410
<b>Set 76-87-100-110</b>	290411

### Accessories

Description	Art.-No.
<b>Clamp inserts</b> , see page 85.	
<b>Tool set Cu-INOX</b> with cutter wheel Cu-INOX 3–120, s 4	290433
<b>REMS cutter wheel Cu-INOX 3–120, s 4</b>	113210
<b>Holder for work bench</b>	290440



# REMS RAG

Pipe chamfering tools

Handy quality tools for simple and fast external chamfering (15°) of pipes.

Plastic pipes  $\varnothing$  16–250 mm,  $\varnothing$  3/4–10"

Wall thickness  $\leq$  PN 16

## REMS RAG – chamfering at 15°.

Chamfering at 15° on commonly used plastic pipes.

Also suited for deburring plastic pipes. Ensures easy joining of sleeves to be welded.

Easily adjusted for pipe diameter and wall thickness.

Very easy and fast chamfering thanks to efficient blade geometry.

Patent DE 44 09 983, patent US 5,641,253. Easy-to-slide V-block with two different bevel angles for good guidance of small pipe sizes.

In high-grade, glass-fibre reinforced polyamide.

Replaceable blades.



German Quality Product

Patent DE 44 09 983  
Patent US 5,641,253

### Supply format

**REMS RAG.** Pipe chamfering tool for plastic pipes. With blades. In a carton.

Description	Pipes $\varnothing \leq$ mm/inch	Art.-No.
<b>P 16–110</b>	16–110 / 3/4–4"	292110
<b>P 32–250</b>	32–250 / 1 1/4–10"	292210

### Accessories

Description	Art.-No.
<b>Chamfering blades (pack of 2)</b> for REMS RAG P 16–250	292011

